



Do You Know Your RCRA

Presented by:

Gordon Dimbat & Jenna Brickner
ADEQ Waste Inspections and Compliance Section

EPAZ: March 2018





Abstract

ADEQ invites you to spend some time with our Hazardous Waste Inspections team! We'll review the common violations our inspectors come across and the best management practices ?


We will have a section that will allow you to test your RCRA knowledge and share your experiences during our interactive portion of the presentation. Can you spot the hazards?

To date, the unit has conducted over 2000 inspections. The desired outcome of the unit is to help you achieve compliance. We are here to help! We will answer your questions. So if you have a hazardous waste question or are looking for a refresher we invite you to join us.

Adoption of EPA Hazardous Waste Generator Improvements Final Rule



At this time ADEQ is in the process of obtaining approval from Governor Ducey's Office to match federal hazardous waste regulations.




Once approval is granted, stakeholder input will then be open for feedback.




Waste Programs Hazardous Waste Unit of ADEQ has conducted various inspections:


- LQG – Large Quantity Generator
- SQG – Small Quantity Generator
- CESQG / VSQG – Conditionally Exempt Small Quantity Generator
- TSDF – Treatment Storage and Disposal Facility
- Transporters

Hazardous Waste Universe






LQG Manufacturing Universe



Manufacturing Violations LQG Universe

















Do You Know Your RCRA

QUIZ TIME







Name four (4) required components of a weekly inspection checklist.





UNIVERSAL WASTE

CONTENTS USED FLUORESCENT LAMP

ACCUMULATION START DATE 9/9/14

SHIPPER CAMP NAVALIA

ADDRESS 1 Hughes Ave

CITY, STATE, ZIP Phoenix, AZ 85015

BRADY SIGMARR® DIV




**NO
SMOKING**

DANGER
DO NOT ENTER
AUTHORIZED PERSONNEL ONLY







Name five (5) preparedness
and prevention requirements
for a 180/90-day hazardous
waste storage area.

(or in other hazardous waste accumulation
areas where the hazards are present)



DITAT DEUS












TIPS for Compliance Storage

- Keep a container tracking log
- Check dates on containers during weekly inspections
- Ship at least every 90 days (LQG) or 180 days (SQG)

VSQG

Less than 2,200 lbs

~ < 5 x 55-gallon containers or
< 275 gallons at all times







→ Or less

SQG

Less than 13,228 lbs

~ < 30 x 55-gallon containers or
< 1,653 gallons at all times




→ Or less



Name three (3)
requirements for storage
of universal waste lamps.







Questions?

Gordon Dimbat

Compliance Officer
Hazardous Waste Unit

E-mail: dimbat.gordon@azdeq.gov

Office: 602-771-4608
Mobile: 602-309-1669

Jenna Brickner

Compliance Officer
Hazardous Waste Unit

E-mail: JB24@azdeq.gov

Office: 602-771-4417
Mobile: 602-320-9512

Jenna Brickner Bio

Jenna Brickner is an Arizona native and grew up in the east valley. In 2012, she graduated with a bachelor's of science in Sustainability at Arizona State University. She has six years of experience in the environmental field including water quality and waste management.